Author index

Abbas, E.H. & Abdulla, A.S. First report of neck bending disease on date palm in Qatar, 790
Abdulla, A.S. *see* Abbas, E.H.
Abood, J.K. & Lösel, D.M. Changes in carbohydrate composition of cucumber leaves during the development of powdery mildew infection, 256
Abu-El Samen, F.M., Secor, G.A. & Gudmestad, N.C. Genetic variation among asexual progeny of *Phytophthora infestans* detected with RAPD and AFLP markers, 314
Abul Enein, R. *see* Makkouk, K.M.
Accotto, G.P., Bragaloni, M., Luison, D., Davino, S. & Davino, M. First report of *Tomato yellow leaf curl virus* (TYLCV) in Italy, 799
Afellah, M. *see* Benyahia, H.
Aguilar, M.I. *see* Martínez, R.
Aguilar, O.M. *see* Alippi, A.M.
Aitken, E.A.B. *see* Hayden, H.L.
see also Pilotti, C.A.
Al Adawi, A.O., Deadman, M.L., Al Rawahi, A.K., Khan, A.J. & Al Maqbali, Y.M. *Diplodia theobromae* associated with sudden decline of mango in the Sultanate of Oman, 419
Al Maqbali, Y.M. *see* Al Adawi, A.O.
Al Rawahi, A.K. *see* Al Adawi, A.O.
Ala, A. *see* Aysan, Y.
Alexander, B.J.R. *see* Clover, G.R.G.
Alippi, A.M., Dal Bo, E., Ronco, L.B., López, M.V., López, A.C. & Aguilar, O.M. *Pseudomonas* populations causing pith necrosis of tomato and pepper in Argentina are highly diverse, 287
Álvarez, A. *see* Martínez, R.
Alves, D.M.T. *see* Nagata, T.
Amin, I. *see* Hussain, M.
see also Mansoor, S.
Aminuddin, *see* Khan, J.A.
Andrivon, D. *see* Yahiaoui-Zaidi, R.
Andrivon, D., Lucas, J.-M. & Ellissèche, D. Development of natural late blight epidemics in pure and mixed plots of potato cultivars with different levels of partial resistance, 586
Angelini, E., Negrisolo, E., Clair, D., Borgo, M. & Boudon-Padieu, E. Phylogenetic relationships among Flavescence dorée strains and related phytoplasmas determined by heteroduplex mobility assay and sequence of ribosomal and nonribosomal DNA, 663
Anthony, F. *see* Noir, S.
Appiah, A.A., Flood, J., Bridge, P.D. & Archer, S.A. Inter- and intraspecific morphometric variation and characterization of *Phytophthora* isolates from cocoa, 168
Aramburu, J. & Martí, M. The occurrence in north-east Spain of a variant of *Tomato spotted wilt virus* (TSWV) that breaks resistance in tomato (*Lycopersicon esculentum*) containing the *Sw-5* gene, 407
Archer, S.A. *see* Appiah, A.A.
Armengol, J., Vicent, A., Martínez-Culebras, P., Bruton, B.D. & García-Jiménez, J. Identification, occurrence and pathogenicity of *Rhizopycnis vagum* on muskmelon in Spain, 68
de Arruda, M.C.C., Miller, R.N.G., Ferreira, M.A.S.V. & Felipe, M.S.S. Comparison of *Crinipellis perniciosa* isolates from Brazil by ERIC repetitive element sequence-based PCR genomic fingerprinting, 236
Asher, M.J.C. *see* Kingsnorth, C.S.
Atiri, G.I. *see* Ogbe, F.O.
de Ávila, A.C. *see* Nagata, T.
Avrova, A.O. *see* Toth, I.K.
Aysan, Y. & Sahin, F. An outbreak of crown gall disease on rose caused by *Agrobacterium tumefaciens* in Turkey, 780
Aysan, Y. & Sahin, F. First report of bacterial blight of anthurium caused by *Xanthomonas axonopodis* pv. *dieffenbachiae* inTurkey, 783
Aysan, Y. & Sahin, F. Occurrence of bacterial spot disease, caused by *Xanthomonas axonopodis* pv. *vesicatoria*, on pepper in the eastern Mediterranean region of Turkey, 781
Aysan, Y., Mirik, M., Ala, A., Sahin, F. & Cinar, O. First report of *Pseudomonas viridiflava* on melon in Turkey, 800
Aysan, Y., Sahin, F., Mirik, M., Donmez, M.F. & Tekman, H. First report of crown gall of apricot (*Prunus armeniaca*) caused by *Agrobacterium tumefaciens* in Turkey, 793
Aysan, Y., Sahin, S., Ulke, G. & Sahin, F. Bacterial rot of lettuce caused by *Pseudomonas cichorii* in Turkey, 782

Bakonyi, J., Varga, K., Nagy, Z.Á. & Koltay, A. Occurrence of *Phytophthora citricola* in an alder forest in Hungary, 807
Balci, Y. & Halmschlager, E. First report of *Phytophthora quercina* from oak forests in Austria, 403
Balcì, Y. & Halmschlager, E. *Phytophthora* species in oak ecosystems in Turkey and their association with declining oak trees, 694
Baraldi, E., Mari, M., Chierici, E., Pondrelli, M., Bertolini, P. & Pratella, G.C. Studies on thiabendazole resistance of *Penicillium expansum* of pears: pathogenic fitness and genetic characterization, 362
Barbara, D.J. *see* McCracken, A.R.
see also Morton, A.
Barnes, A.V. *see* Inman, A.J.
Barreto, R.W. *see* Fernandes, R.C.
Batlle, A. *see* Garcia-Chapa, M.
Baysal, Ö., Soylu, E.M. & Soylu, S. Induction of defence-related enzymes and resistance by the plant activator acibenzolar-S-methyl in tomato seedlings against bacterial canker caused by *Clavibacter michiganensis* ssp. *michiganensis*, 747
Beales, P. *see* Henricot, B.
Beales, P.A. *see* Lane, C.R.
Belisario, A. *see* Vettraino, A.M.
Benyahia, H., Jrifi, A., Smaili, C., Afellah, M., Lamsetef, Y. & Timmer, L.W. First report of *Colletotrichum gloeosporioides* causing withertip on twigs and tear stain on fruit of citrus in Morocco, 798
Berrie, A. *see* McCracken, A.R.
Bertolini, P. *see* Baraldi, E.
Bertrand, B. *see* Noir, S.
Bhuiyan, S.A., Ryley, M.J., Galea, V.J. & Tay, D. Evaluation of potential biocontrol agents against *Claviceps africana in vitro* and *in vivo*, 60
Birch, P.R.J. *see* Cooke, D.E.L.
Blanche, K.R., Tran-Nguyen, L.T.T. & Gibb, K.S. Detection, identification and significance of phytoplasmas in grasses in northern Australia, 505

© 2003 BSPP

Blockley, A. *see* Mumford, R.A.
Boa, E. *see* Harrison, N.A.
Bokshi, A.I., Morris, S.C. & Deverall, B.J. Effects of benzothiadiazole and acetylsalicylic acid on β-1,3-glucanase activity and disease resistance in potato, 22
Bon, M.C. *see* Siegwart, M.
Boonham, N. *see* Morton, A.
Borges, A.A., Cools, H.J. & Lucas, J.A. Menadione sodium bisulphite: a novel plant defence activator which enhances local and systemic resistance to infection by *Leptosphaeria maculans* in oilseed rape, 429
Borgo, M. *see* Angelini, E.
van den Bosch, G.B.M. *see* Flier, W.G.
Boudon-Padieu, E. *see* Angelini, E.
Bradshaw, J.E. *see* Stewart, H.E.
Bragaloni, M. *see* Accotto, G.P.
Brasier, C.M. *see* Lane, C.R.
Briddon, R.W. *see* Bull, S.E.
see also Hussain, M.; Mansoor, S.
Bridge, P.D. *see* Appiah, A.A.
Brierley, J.L. *see* Toth, I.K.
Broadfoot, L. *see* Toth, I.K.
Brown, A.E. *see* McCracken, A.R.
Brown, J.B. *see* Campbell, M.A.
Bruton, B.D. *see* Armengol, J.
Bull, S.E., Karakacha, H.W., Briddon, R.W., Nzioki, S., Maruthi, M.N., Stanley, J. & Winter, S. Occurrence of *East African cassava mosaic Zanzibar virus* (EACMZV) in coastal Kenya, 791
Burdon, J.J. *see* Thrall, P.H.
Burger, Y., Katzir, N., Tzuri, G., Portnoy, V., Saar, U., Shriber, S., Perl-Treves, R. & Cohen, R. Variation in the response of melon genotypes to *Fusarium oxysporum* f.sp. *melonis* race 1 determined by inoculation tests and molecular markers, 204
Butler, D.R. *see* Surujdeo-Maharaj, S.

Café-Filho, A.C. *see* de Souza, V.L.
Camargo, L.E.A. *see* Novaes, Q.S.
Campbell, M.A. & Medd, R.W. Leaf, floret and seed infection of wheat by *Pyrenophora semeniperda*, 437
Campbell, M.A., Medd, R.W. & Brown, J.B. Optimizing conditions for growth and sporulation of *Pyrenophora semeniperda*, 448
Cárdenas-Soriano, E. *see* Valencia-Botín, A.J.
Cardoso, J.C. *see* Maringoni, A.C.
Cardoso, J.E. *see* Nagata, T.
Carlier, J. *see* Hayden, H.L.
Carnegie, S.F. *see* Cooke, D.E.L.
Carnegie, S.F., Choiseul, J.W. & Roberts, A.M.I. Detection of *Colletotrichum coccodes* and *Helminthosporium solani* in soils by bioassay, 13
Carpio, M.L. *see* Harrison, N.A.
de Carvalho, M.G. *see* Maciel-Zambolim, E.
Castillo, P. *see* Nico, A.I.
see also Pérez, M.P.
Chagas, C.M. *see* Colariccio, A.
Chakraborty, S. *see* Komolong, B.
Chaves, A.L.R. *see* Colariccio, A.
Chen, L.Y., Price, T.V. & Park-Ng, Z. Conidial dispersal by *Alternaria brassicicola* on Chinese cabbage (*Brassica pekinensis*) in the field and under simulated conditions, 536
Chierici, E. *see* Baraldi, E.
Cho, B.H. *see* Kwon, M.K.
Choiseul, J.W. *see* Carnegie, S.F.
Chu, P. *see* Ellis, M.H.
Chwarszczynska, D.M. *see* Kingsnorth, C.S.
Cinar, O. *see* Aysan, Y.
Clair, D. *see* Angelini, E.
Clover, G.R.G., Pearson, M.N., Elliott, D.R., Tang, Z., Smales, T.E. & Alexander, B.J.R. Characterization of a strain of *Apple stem grooving virus* in *Actinidia chinensis* from China, 371
Clover, G.R.G., Tang, Z., Smales, T.E. & Pearson, M.N. Taxonomy of *Wisteria vein mosaic virus* and extensions to its host range and geographical distribution, 92
Coetzee, M.P.A., Wingfield, B.D., Roux, J., Crous, P.W., Denman, S. & Wingfield, M.J. Discovery of two northern hemisphere *Armillaria* species on Proteaceae in South Africa, 604
Cohen, R. *see* Burger, Y.
Colariccio, A., Chaves, A.L.R., Eiras, M., Chagas, C.M., Lenzi, R. & Roggero, P. Presence of lettuce big-vein disease and associated viruses in a subtropical area of Brazil, 792
Combes, M.-C. *see* Noir, S.
Constable, F.E., Gibb, K.S. & Symons, R.H. Seasonal distribution of phytoplasmas in Australian grapevines, 267
Cooke, D.E.L., Young, V., Birch, P.R.J., Toth, R., Gourlay, F., Day, J.P., Carnegie, S.F. & Duncan, J.M. Phenotypic and genotypic diversity of *Phytophthora infestans* populations in Scotland (1995–97), 181
Cooke, L.R. *see* McCracken, A.R.
Cools, H.J. *see* Borges, A.A.
Coutinho, T.A. *see* Telechea, N.
Crespy, N. *see* Siegwart, M.
Crous, P.W. *see* Coetzee, M.P.A.
Crowle, D.R., Pethybridge, S.J., Leggett, G.W., Sherriff, L.J. & Wilson, C.R. Diversity of the coat protein-coding region among *Ilarvirus* isolates infecting hop in Australia, 655
Cuartero, J. *see* Rodríguez-Molina, M.C.

D'Aquila, F. *see* Nicoletti, R.
Dal Bo, E. *see* Alippi, A.M.
Davino, M. *see* Accotto, G.P.
Davino, S. *see* Accotto, G.P.
Day, J.P. *see* Cooke, D.E.L.
Deadman, M.L. *see* Al Adawi, A.O.
DeBarro, P. *see* Stonor, J.
Demirci, E. *see* Eken, C.
Denman, S. *see* Coetzee, M.P.A.
Dennis, J.I. New disease of coriander in Australia associated with a *Microdochium* species, 408
Dettori, M.T. *see* Scortichini, M.
Deverall, B.J. *see* Bokshi, A.I.
Devienne-Barret, F. *see* Schoeny, A.
Diez, J.J. *see* Santamaría, O.
Dixon, A.G.O. *see* Ogbe, F.O.
Donmez, M.F. *see* Aysan, Y.
Dugan, F.M., Hellier, B.C. & Lupien, S.L. First report of *Fusarium proliferatum* causing rot of garlic bulbs in North America, 426
Dumsday, J.L., Smith, K.F., Forster, J.W. & Jones, E.S. SSR-based genetic linkage analysis of resistance to crown rust (*Puccinia coronata* f. sp. *lolii*) in perennial ryegrass (*Lolium perenne*), 628
Duncan, J.M. *see* Cooke, D.E.L.

Eales, S.J. *see* Inman, A.J.
Echemendía, A.L., Ramos, P.L., Peral, R., Fuentes, A., Pujol, M. & González, G. First report of *Dicliptera yellow mottle virus* (DiYMoV) infecting *Dicliptera vahliana* in Cuba, 787
Eiras, M. *see* Colariccio, A.

Eken, C. First report of *Ascochyta fabae* on sainfoin in Turkey, 421
Eken, C., Demirci, E., Esitken, A.E. & Ercisli, S. First report of orchid (*Orchis laxiflora*) as a host of *Sclerotinia minor*, discovered in Turkey, 802
Elena, K. & Vlahoyiannis, D. First report of *Botrytis cinerea* causing shoot blight of pistachio in Greece, 810
Ellerker, B. *see* McCracken, A.R.
Elliott, D.R. *see* Clover, G.R.G.
Elliott, E. *see* Pilkington, L.J.
Ellis, M.H., Rebetzke, G.J. & Chu, P. First report of *Wheat streak mosaic virus* in Australia, 808
Ellissèche, D. *see* Andrivon, D.
Ercisli, S. *see* Eken, C.
Esitken, A.E. *see* Eken, C.
Evans, H.C. *see* Holmes, K.A.
Evans, H.C., Holmes, K.A. & Reid, A.P. Phylogeny of the frosty pod rot pathogen of cocoa, 476

Felipe, M.S.S. *see* de Arruda, M.C.C.
Fernandes, R.C. & Barreto, R.W. *Corynespora cassiicola* causing leaf spots on *Coleus barbatus*, 786
Ferreira, M.A.S.V. *see* de Arruda, M.C.C.
Fitt, B.D.L. *see* Huang, Y.J.
see also Toscano-Underwood, C.
Fletcher, M.J. *see* Pilkington, L.J.
Flier, W.G., van den Bosch, G.B.M. & Turkensteen, L.J. Epidemiological importance of *Solanum sisymbriifolium*, *S. nigrum* and *S. dulcamara* as alternative hosts for *Phytophthora infestans*, 595
Flier, W.G., van den Bosch, G.B.M. & Turkensteen, L.J. Stability of partial resistance in potato cultivars exposed to aggressive strains of *Phytophthora infestans*, 326
Flood, J. *see* Appiah, A.A.
Forster, J.W. *see* Dumsday, J.L.
Freitas-Astua, J. *see* Novaes, Q.S.
Fuentes, A. *see* Echemendía, A.L.
Furuya, N. *see* Seo, S.T.

Galea, V.J. *see* Bhuiyan, S.A.
Galeano, M. *see* Verdejo-Lucas, S.
Garcia-Chapa, M., Medina, V., Viruel, M.A., Laviña, A. & Batlle, A. Seasonal detection of pear decline phytoplasma by nested-PCR in different pear cultivars, 513
García-Jiménez, J. *see* Armengol, J.
Garg, I.D. *see* Sherpa, A.R.
Gazel, M. & Önelge, N. First report of grapevine viroids in the east Mediterranean region of Turkey, 405
Gerhardson, B. *see* Johansson, P.M.
Gezahgne, A., Roux, J. & Wingfield, M.J. First report of pink disease on *Eucalyptus camaldulensis* in Ethiopia, 402
Gibb, K.S. *see* Blanche, K.R.
see also Constable, F.E.; Pilkington, L.J.
Gil, L. *see* Solla, A.
Gilbert, R.L. First report of *Exserohilum pedicellatum* on *Zea mays* in Australia, 404
Go, S.J. *see* Kang, H.W.
Godfree, R. *see* Thrall, P.H.
Gómez, J. *see* Martínez, R.
González, G. *see* Echemendía, A.L.
Gordon, T.R. *see* Schmale III, D.G.
Gourlay, F. *see* Cooke, D.E.L.
Griffin, R.L. *see* Inman, A.J.
see also Lane, C.R.
Gudmestad, N.C. *see* Abu-El Samen, F.M.
Guerri, J. *see* Rubio, L.
Guirado, M.L. *see* Martínez, R.
Gunther, M. *see* Stonor, J.
Gunua, T. *see* Lebot, V.
Gurr, G.M. *see* Pilkington, L.J.

Hall, A.M. *see* Huang, Y.J.
see also Toscano-Underwood, C.
Hallan, V. *see* Raikhy, G.
see also Ram, R.; Sherpa, A.R.
Halmschlager, E. *see* Balcì, Y.
see also Balci, Y.
Hamed, A.A. *see* Makkouk, K.M.
Harrison, N.A., Boa, E. & Carpio, M.L. Characterization of phytoplasmas detected in Chinaberry trees with symptoms of leaf yellowing and decline in Bolivia, 147
Hart, P. *see* Stonor, J.
Hartman, G.L. *see* Li, S.
Havis, N.D. *see* Paveley, N.D.
Hayden, H.L., Carlier, J. & Aitken, E.A.B. Genetic structure of *Mycosphaerella fijiensis* populations from Australia, Papua New Guinea and the Pacific Islands, 703
Hayden, H.L., Carlier, J. & Aitken, E.A.B. Population differentiation in the banana leaf spot pathogen *Mycosphaerella musicola*, examined at a global scale, 713
Hellier, B.C. *see* Dugan, F.M.
Hellqvist, S. *see* Lindqvist-Kreuze, H.
Henricot, B. & Beales, P. First record of *Cylindrocladium pauciramosum* on myrtle (*Myrtus communis*) in Portugal, 420
Herail, C. *see* Lebot, V.
Herrero, J.R. *see* Rubio, L.
Hilton, A.J. *see* Lees, A.K.
Holeva, M. *see* Toth, I.K.
Holmes, K.A. *see* Evans, H.C.
Holmes, K.A., Evans, H.C., Wayne, S. & Smith, J. *Irvingia*, a forest host of the cocoa black-pod pathogen, *Phytophthora megakarya*, in Cameroon, 486
Hong, C.X. *see* Kong, P.
Hu, X.J. *see* Huang, Y.J.
Huang, Y.J. *see* Toscano-Underwood, C.
Huang, Y.J., Toscano-Underwood, C., Fitt, B.D.L., Hu, X.J. & Hall, A.M. Effects of temperature on ascospore germination and penetration of oilseed rape (*Brassica napus*) leaves by A- or B-group *Leptosphaeria maculans* (phoma stem canker), 245
Hughes, K.J.D. *see* Inman, A.J.
see also Lane, C.R.
Hussain, M. *see* Mansoor, S.
Hussain, M., Mansoor, S., Amin, I., Iram, S., Zafar, Y., Malik, K.A. & Briddon, R.W. First report of cotton leaf curl disease affecting chili peppers, 809
Hussein, M. *see* Makkouk, K.M.
Hyman, L.J. *see* Toth, I.K.

Inman, A.J., Townend, V.C., Barnes, A.V., Lane, C.R., Hughes, K.J.D., Griffin, R.L. & Eales, S.J. First report of ramorum dieback (*Phytophthora ramorum*) on *Pieris* in England, 785
Inoue-Nagata, A.K. *see* Nagata, T.
Iram, S. *see* Hussain, M.
see also Mansoor, S.
Ishimaru, C.A. *see* Laurila, J.
Jarvis, B. *see* Mumford, R.A.
Jeuffroy, M.-H. *see* Schoeny, A.
Jiménez-Díaz, R.M. *see* Nico, A.I.

Johansson, P.M., Johnsson, L. & Gerhardson, B. Suppression of wheat-seedling diseases caused by *Fusarium culmorum* and *Microdochium nivale* using bacterial seed treatment, 219
Johnson, R. Obituary, 1
Johnsson, L. *see* Johansson, P.M.
Jones, D.R. *see* Paveley, N.D.
Jones, E.S. *see* Dumsday, J.L.
Joshi, A. *see* Ram, R.
Jouan, B. *see* Yahiaoui-Zaidi, R.
Jrifi, A. *see* Benyahia, H.

Kang, B.R. *see* Kwon, M.K.
Kang, H.W., Kwon, S.W. & Go, S.J. PCR-based specific and sensitive detection of *Pectobacterium carotovorum* ssp. *carotovorum* by primers generated from a URP-PCR fingerprinting-derived polymorphic band, 127
Karakacha, H.W. *see* Bull, S.E.
Katoch, M., Ram, R. & Zaidi, A.A. First report of *Tobacco ringspot virus* occurring in gladiolus in India, 789
Katzir, N. *see* Burger, Y.
Kavak, H. First record of leaf scald caused by *Rhynchosporium secalis* in a natural population of *Hordeum vulgare* ssp. *spontaneum* in Turkey, 805
Keane, G.J.P. *see* Kingsnorth, C.S.
Khan, A.J. *see* Al Adawi, A.O.
Khan, J.A., Sohrab, S.S. & Aminuddin, Guar leaf curl disease from India is caused by *Tomato leaf curl virus*, 796
Kim, Y.C. *see* Kwon, M.K.
Kingsnorth, C.S., Asher, M.J.C., Keane, G.J.P., Chwarszczynska, D.M., Luterbacher, M.C. & Mutasa-Göttgens, E.S. Development of a recombinant antibody ELISA test for the detection of *Polymyxa betae* and its use in resistance screening, 673
Kiss, L. *see* Szentiványi, O.
Kitajima, E.W. *see* Nagata, T.
see also Novaes, Q.S.
Koltay, A. *see* Bakonyi, J.
Komolong, B., Chakraborty, S., Ryley, M. & Yates, D. Ovary colonization by *Claviceps africana* is related to ergot resistance in male-sterile sorghum lines, 620
Kong, P., Hong, C.X. & Richardson, P.A. Rapid detection of *Phytophthora cinnamomi* using PCR with primers derived from the *Lpv* putative storage protein genes, 681
Koponen, H. *see* Lindqvist-Kreuze, H.
Kosman, E. Nei's gene diversity and the index of average differences are identical measures of diversity within populations, 533
Kulshrestha, S. *see* Raikhy, G.
see also Ram, R.
Kumari, S.G. *see* Makkouk, K.M.
Kunieda-Alonso, S. *see* Maciel-Zambolim, E.
Kurozawa, C. *see* Maringoni, A.C.
Kurt, S. *see* Soylu, E.M.
see also, Soylu, S.
Kurt, S., Soylu, E.M. & Soylu, S. First report of downy leaf spot of walnuts caused by *Microstroma juglandis* in Turkey, 409
Kwon, M.K., Kang, B.R., Cho, B.H. & Kim, Y.C. Occurrence of target leaf spot disease caused by *Corynespora cassicola* on cucumber in Korea, 424
Kwon, S.W. *see* Kang, H.W.

Laine, A-L. First report of *Phomopsis subordinaria* in a natural population of *Plantago lanceolata* in south-west Finland, 422
Lamsetef, Y. *see* Benyahia, H.
Lane, C.R. *see* Inman, A.J.
Lane, C.R., Beales, P.A., Hughes, K.J.D., Griffin, R.L., Munro, D., Brasier, C.M. & Webber, J.F. First outbreak of *Phytophthora ramorum* in England, on *Viburnum tinus*, 414
Langrell, S.R.H. *see* McCracken, A.R.
Lashermes, P. *see* Noir, S.
Laurila, J., Metzler, M.C., Ishimaru, C.A. & Rokka, V.-M. Infection of plant material derived from *Solanum acaule* with *Clavibacter michiganensis* ssp. *sepedonicus*: temperature as a determining factor in immunity of *S. acaule* to bacterial ring rot, 496
Lavee, S. *see* Levin, A.G.
Laviña, A. *see* Garcia-Chapa, M.
Lebeda, A. & Zinkernagel, V. Evolution and distribution of virulence in the German population of *Bremia lactucae*, 41
Lebot, V., Herail, C., Gunua, T., Pardales, J., Prana, M., Thongjiem, M. & Viet, N. Isozyme and RAPD variation among *Phytophthora colocasiae* isolates from South-east Asia and the Pacific, 303
Lees, A.K. & Hilton, A.J. Black dot (*Colletotrichum coccodes*): an increasingly important disease of potato, 3
Leggett, G.W. *see* Crowle, D.R.
Lenzi, R. *see* Colariccio, A.
Levin, A.G., Lavee, S. & Tsror (Lahkim), L. Epidemiology of *Verticillium dahliae* on olive (cv. Picual) and its effect on yield under saline conditions, 212
Li, B. *see* Li, B.
Li, B., Zhao, H., Li, B. & Xu, X.-M. Effects of temperature, relative humidity and duration of wetness period on germination and infection by conidia of the pear scab pathogen (*Venturia nashicola*), 546
Li, J.Y. *see* Wang, H.M.
Li, S. & Hartman, G.L. Molecular detection of *Fusarium solani* f. sp. *glycines* in soybean roots and soil, 74
Lim, C.K. *see* Seo, S.T.
Lindqvist-Kreuze, H., Hellqvist, S., Koponen, H. & Valkonen, J.P.T. *Phoma–Didymella* complex on hybrid arctic bramble with wilting symptoms, 567
Locke, T. *see* McCracken, A.R.
Lockley, K.D. *see* Young, C.S.
López, A.C. *see* Alippi, A.M.
López, M.V. *see* Alippi, A.M.
Lösel, D.M. *see* Abood, J.K.
Lucas, J.A. *see* Borges, A.A.
Lucas, J.-M. *see* Andrivon, D.
Lucas, P. *see* Schoeny, A.
Luison, D. *see* Accotto, G.P.
Lupien, S.L. *see* Dugan, F.M.
Luterbacher, M.C. *see* Kingsnorth, C.S.

Maccaroni, M. *see* Vettraino, A.M.
Maciel-Zambolim, E., Kunieda-Alonso, S., Matsuoka, K., de Carvalho, M.G. & Zerbini, F.M. Purification and some properties of Papaya meleira virus, a novel virus infecting papayas in Brazil, 389
Makkouk, K.M., Hamed, A.A., Hussein, M. & Kumari, S.G. First report of *Faba bean necrotic yellows virus* (FBNYV) infecting chickpea (*Cicer arietinum*) and faba bean (*Vicia faba*) crops in Sudan, 412
Makkouk, K.M., Rizkallah, L., Kumari, S.G., Zaki, M. & Abul Enein, R. First record of *Chickpea chlorotic dwarf virus* (CpCDV) affecting faba bean (*Vicia faba*) crops in Egypt, 413
Malik, K.A. *see* Hussain, M.
see also Mansoor, S.
Mansoor, S. *see* Hussain, M.

Mansoor, S., Amin, I., Iram, S., Hussain, M., Zafar, Y., Malik, K.A. & Briddon, R.W. Breakdown of resistance in cotton to cotton leaf curl disease in Pakistan, 784
Marchesi, U. *see* Scortichini, M.
Mari, M. *see* Baraldi, E.
Maringoni, A.C., Theodoro, G.F., Ming, L.C., Cardoso, J.C. & Kurozawa, C. First report of *Pseudomonas cichorii* on turmeric (*Curcuma longa*) in Brazil, 794
Martí, M. *see* Aramburu, J.
Martínez, R., Aguilar, M.I., Guirado, M.L., Álvarez, A. & Gómez, J. First report of fusarium wilt of cucumber caused by *Fusarium oxysporum* in Spain, 410
Martínez-Culebras, P. *see* Armengol, J.
Martínez de la Vega, O. *see* Rodríguez-Guena, R.
Maruthi, M.N. *see* Bull, S.E.
Masenga, V. *see* Salomone, A.
Matsuoka, K. *see* Maciel-Zambolim, E.
McCracken, A.R., Berrie, A., Barbara, D.J., Locke, T., Cooke, L.R., Phelps, K., Swinburne, T.R., Brown, A.E., Ellerker, B. & Langrell, S.R.H. Relative significance of nursery infections and orchard inoculum in the development and spread of apple canker (*Nectria galligena*) in young orchards, 553
McNicol, J. *see* Toth, I.K.
Medd, R.W. *see* Campbell, M.A.
Medina, I. *see* Rodríguez-Molina, M.C.
Medina, V. *see* Garcia-Chapa, M.
Metzler, M.C. *see* Laurila, J.
Michailides, T.J. *see* Valencia-Botín, A.J.
Miller, R.N.G. *see* de Arruda, M.C.C.
Ming, L.C. *see* Maringoni, A.C.
Minuto, G. *see* Salomone, A.
Mirik, M. *see* Aysan, Y.
Moreno, P. *see* Rubio, L.
Morris, J. *see* Mumford, R.A.
Morris, S.C. *see* Bokshi, A.I.
Morton, A., Spence, N.J., Boonham, N. & Barbara, D.J. Carrot red leaf associated RNA in carrots in the United Kingdom, 795
Mumford, R.A., Jarvis, B., Morris, J. & Blockley, A. First report of *Chrysanthemum stem necrosis virus* (CSNV) in the UK, 779
Munro, D. *see* Lane, C.R.
Mutasa-Göttgens, E.S *see* Kingsnorth, C.S.

Nagata, T., Kitajima, E.W., Alves, D.M.T., Cardoso, J.E., Inoue-Nagata, A.K., de Oliveira, M.R.V. & de Ávila, A.C. Isolation of a novel carlavirus from melon in Brazil, 797
Nagy, Z.Á. *see* Bakonyi, J.
Navas-Cortés, J.A. *see* Pérez, M.P.
Negrisolo, E. *see* Angelini, E.
Ng, T.B. *see* Wang, H.M.
Nico, A.I., Jiménez-Díaz, R.M. & Castillo, P. Solarization of soil in piles for the control of *Meloidogyne incognita* in olive nurseries in southern Spain, 770
Nicoletti, R., Raimo, F., Pasini, C. & D'Aquila, F. Occurrence of *Cercospora insulana* on statice (*Limonium sinuatum*) in Italy, 418
Nikandrow, A. *see* Pilkington, L.J.
Noir, S., Anthony, F., Bertrand, B., Combes, M.-C. & Lashermes, P. Identification of a major gene (*Mex-1*) from *Coffea canephora* conferring resistance to *Meloidogyne exigua* in *Coffea arabica*, 97
Novaes, Q.S., Freitas-Astua, J., Yuki, V.A., Kitajima, E.W., Camargo, L.E.A. & Rezende, J.A.M. Partial characterization of a bipartite begomovirus infecting yellow passion flower in Brazil, 648
Nzioki, S. *see* Bull, S.E.
Ogbe, F.O., Atiri, G.I., Dixon, A.G.O. & Thottappilly, G. Symptom severity of cassava mosaic disease in relation to concentration of *African cassava mosaic virus* in different cassava genotypes, 84
de Oliveira, M.R.V. *see* Nagata, T.
Önelge, N. *see* Gazel, M.
Ornat, C. *see* Verdejo-Lucas, S.

Pajares, J.A. *see* Santamaría, O.
Pande, B. *see* Stewart, H.E.
Pardales, J. *see* Lebot, V.
Park-Ng, Z. *see* Chen, L.Y.
Parodi, C. *see* Salomone, A.
Pascual-Villalobos, M.J. *see* Pérez, M.P.
Pasini, C. *see* Nicoletti, R.
Pathak, P. *see* Sherpa, A.R.
Paveley, N.D. *see* Young, C.S.
Paveley, N.D., Thomas, J.M., Vaughan, T.B., Havis, N.D. & Jones, D.R. Predicting effective doses for the joint action of two fungicide applications, 638
Pearson, M.N. *see* Clover, G.R.G.
see also Clover, G.R.G.
Peral, R. *see* Echemendía, A.L.
Pérez, M.P., Navas-Cortés, J.A., Pascual-Villalobos, M.J. & Castillo, P. Nematicidal activity of essential oils and organic amendments from Asteraceae against root-knot nematodes, 395
Perl-Treves, R. *see* Burger, Y.
Pérombelon, M.C.M. *see* Toth, I.K.
Pethybridge, S.J. & Turechek, W.W. Analysis of the association among three viruses infecting hop in Australia, 158
Pethybridge, S.J. *see* Crowle, D.R.
Phelps, K. *see* McCracken, A.R.
Pilkington, L.J., Gibb, K.S., Gurr, G.M., Fletcher, M.J., Nikandrow, A., Elliott, E., van de Ven, R. & Read, D.M.Y. Detection and identification of a phytoplasma from lucerne with Australian lucerne yellows disease, 754
Pilotti, C.A., Sanderson, F.R. & Aitken, E.A.B. Genetic structure of a population of *Ganoderma boninense* on oil palm, 455
Pondrelli, M. *see* Baraldi, E.
Portnoy, V. *see* Burger, Y.
Prana, M. *see* Lebot, V.
Pratella, G.C. *see* Baraldi, E.
Price, T.V. *see* Chen, L.Y.
Pujol, M. *see* Echemendía, A.L.
Putnam, M.L. & du Toit, L.J. First report of alternaria blight caused by *Alternaria panax* on ginseng (*Panax quinquefolius*) in Oregon and Washington, USA, 406

Quilliam, R.S. & Shattock, R.C. Haustoria of microcyclic rust fungi *Uromyces ficariae* and *Puccinia tumida* and other gall-forming species, *U. dactylidis* (macrocyclic) and *P. smyrnii* (demicyclic), 104

Raikhy, G. *see* Ram, R.
Raikhy, G., Hallan, V., Kulshrestha, S., Sharma, M.L., Ram, R. & Zaidi, A.A. First report of *Carnation necrotic fleck virus* (CNFV) infecting carnations in India, 801
Raimo, F. *see* Nicoletti, R.
Ram, R. *see* Katoch, M.
see also Raikhy, G.; Sherpa, A.R.
Ram, R., Joshi, A., Verma, N., Kulshrestha, S., Raikhy, G., Hallan, V. & Zaidi, A.A. First report of *Dasheen mosaic virus* infecting four ornamental aroids in India, 411
Ramírez-Rueda, M-T. *see* Rodríguez-Guerra, R.

Ramos, P.L. *see* Echemendía, A.L.
Read, D.M.Y. *see* Pilkington, L.J.
Rebetzke, G.J. *see* Ellis, M.H.
Reid, A.P. *see* Evans, H.C.
Rendón-Sánchez, G. *see* Valencia-Botín, A.J.
Rezaian, M.A. *see* Stonor, J.
Rezende, J.A.M. *see* Novaes, Q.S.
Richardson, P.A. *see* Kong, P.
Rizkallah, L. *see* Makkouk, K.M.
Roberts, A.M.I. *see* Carnegie, S.F.
Rodríguez-Guerra, R., Ramírez-Rueda, M-T., Martínez de la Vega, O. & Simpson, J. Variation in genotype, pathotype and anastomosis groups of *Colletotrichum lindemuthianum* isolates from Mexico, 228
Rodríguez-Molina, M.C., Medina, I., Torres-Vila, L.M. & Cuartero, J. Vascular colonization patterns in susceptible and resistant tomato cultivars inoculated with *Fusarium oxysporum* f.sp. *lycopersici* races 0 and 1, 199
Roggero, P. *see* Colariccio, A.
see also Salomone, A.
Rokka, V.-M. *see* Laurila, J.
Rolfo, M. *see* Telechea, N.
Ronco, L.B. *see* Alippi, A.M.
Rossi, M.P. *see* Scortichini, M.
Roux, J. *see* Coetzee, M.P.A.
see also Gezahgne, A.
Rubio, L., Herrero, J.R., Sarrió, J., Moreno, P. & Guerri, J. A new approach to evaluate relative resistance and tolerance of tomato cultivars to begomoviruses causing the tomato yellow leaf curl disease in Spain, 763
Ryley, M. *see* Komolong, B.
Ryley, M.J. *see* Bhuiyan, S.A.

Saar, U. *see* Burger, Y.
Sahin, F. *see* Aysan, Y.
Sahin, S. *see* Aysan, Y.
Salomone, A., Masenga, V., Minuto, G., Parodi, C. & Roggero, P. First report of *Tomato spotted wilt virus* (Tospovirus, *Bunyaviridae*) infecting *Euphorbiaeritrea* and *Asclepias curassavica* in Liguria, Italy, 806
Sanderson, F.R. *see* Pilotti, C.A.
Sandoval-Islas, J.S. *see* Valencia-Botín, A.J.
Santamaría, O., Pajares, J.A. & Diez, J.J. First report of *Gremmeniella abietina* on *Pinus halepensis* in Spain, 425
Sarrió, J. *see* Rubio, L.
Schmale, D.G., III & Gordon, T.R. Variation in susceptibility to pitch canker disease, caused by *Fusarium circinatum*, in native stands of *Pinus muricata*, 720
Schoeny, A., Devienne-Barret, F., Jeuffroy, M.-H. & Lucas, P. Effect of take-all root infections on nitrate uptake in winter wheat, 52
Scortichini, M., Marchesi, U., Dettori, M.T. & Rossi, M.P. Genetic diversity, presence of the *syrB* gene, host preference and virulence of *Pseudomonas syringae* pv. *syringae* strains from woody and herbaceous host plants, 277
Secor, G.A. *see* Abu-El Samen, F.M.
Seo, S.T., Furuya, N., Lim, C.K., Takanami, Y. & Tsuchiya, K. Phenotypic and genetic characterization of *Erwinia carotovora* from mulberry (*Morus* spp.), 140
Sforza, R. *see* Siegwart, M.
Sharma, M.L. *see* Raikhy, G.
Shattock, R.C. *see* Quilliam, R.S.
Sherpa, A.R., Hallan, V., Ram, R., Vij, S.P., Pathak, P., Garg, I.D. & Zaidi, A.A. First report of *Cymbidium mosaic virus* (CymMV) in orchids from India, 788
Sherriff, L.J. *see* Crowle, D.R.
Shriber, S. *see* Burger, Y.
Siegwart, M., Bon, M.C., Widmer, T.L., Crespy, N. & Sforza, R. First report of *Fusarium arthrosporioides* on medusahead (*Taeniatherum caput-medusae*) and preliminary tests for host-specificity, 416
Simpson, J. *see* Rodríguez-Guerra, R.
Smaili, C. *see* Benyahia, H.
Smales, T.E. *see* Clover, G.R.G.
Smith, J. *see* Holmes, K.A.
Smith, K.F. *see* Dumsday, J.L.
Sohrab, S.S. *see* Khan, J.A.
Solla, A. & Gil, L. Evaluating *Verticillium dahliae* for biological control of *Ophiostoma novo-ulmi* in *Ulmus minor*, 579
Sorribas, F.J. *see* Verdejo-Lucas, S.
de Souza, V.L. & Café-Filho, A.C. Resistance to *Leveillula taurica* in the genus *Capsicum*, 613
Soylu, E.M. & Soylu, S. First report of powdery mildew caused by *Erysiphe heraclei* on dill (*Anethum graveolens*) in Turkey, 423
Soylu, E.M. *see* Baysal, Ö.
see also Kurt, S.; Soylu, S.
Soylu, S. *see* Baysal, Ö.
see also Kurt, S.; Soylu, E.M.
Soylu, S., Kurt, S. & Soylu, E.M. First report of phloeospora leaf spot on mulberry caused by *Phloeospora maculans* (= *Cylindrosporium maculans*) in the East Mediterranean region of Turkey, 415
Soylu, S., Soylu, E.M. & Kurt, S. First report of cercospora leaf spot on Swiss chard caused by *Cercospora beticola* in Turkey, 804
Spence, N.J. *see* Morton, A.
Sreenivasan, T.N. *see* Surujdeo-Maharaj, S.
Stanley, J. *see* Bull, S.E.
Stewart, H.E., Bradshaw, J.E. & Pande, B. The effect of the presence of R-genes for resistance to late blight (*Phytophthora infestans*) of potato (*Solanum tuberosum*) on the underlying level of field resistance, 193
Stonor, J., Hart, P., Gunther, M., DeBarro, P. & Rezaian, M.A. Tomato leaf curl geminivirus in Australia: occurrence, detection, sequence diversity and host range, 379
Sullivan, L. *see* Toth, I.K.
Surujdeo-Maharaj, S., Umaharan, P., Butler, D.R. & Sreenivasan, T.N. An optimized screening method for identifying levels of resistance to *Crinipellis perniciosa* in cocoa (*Theobroma cacao*), 464
Swinburne, T.R. *see* McCracken, A.R.
Symons, R.H. *see* Constable, F.E.
Szentiványi, O. & Kiss, L. Overwintering of *Ampelomyces* mycoparasites on apple trees and other plants infected with powdery mildews, 737

Takanami, Y. *see* Seo, S.T.
Tang, Z. *see* Clover, G.R.G.
Tay, D. *see* Bhuiyan, S.A.
Tekman, H. *see* Aysan, Y.
Telechea, N., Rolfo, M., Coutinho, T.A. & Wingfield, M.J. *Puccinia psidii* on *Eucalyptus globulus* in Uruguay, 427
Theodoro, G.F. *see* Maringoni, A.C.
Thomas, J.M. *see* Paveley, N.D.
see also Young, C.S.
Thongjiem, M. *see* Lebot, V.
Thottappilly, G. *see* Ogbe, F.O.
Thrall, P.H., Godfree, R. & Burdon, J.J. Influence of spatial structure on pathogen colonization and extinction: a test using an experimental metapopulation, 350

Timmer, L.W. *see* Benyahia, H.
du Toit, L.J. *see* Putnam, M.L.
Torres-Vila, L.M. *see* Rodríguez-Molina, M.C.
Toscano-Underwood, C. *see* Huang, Y.J.
Toscano-Underwood, C., Huang, Y.J., Fitt, B.D.L. & Hall, A.M. Effects of temperature on maturation of pseudothecia of *Leptosphaeria maculans* and *L. biglobosa* on oilseed rape stem debris, 726
Toth, I.K., Sullivan, L., Brierley, J.L., Avrova, A.O., Hyman, L.J., Holeva, M., Broadfoot, L., Pérombelon, M.C.M. & McNicol, J. Relationship between potato seed tuber contamination by *Erwinia carotovora* ssp. *atroseptica*, blackleg disease development and progeny tuber contamination, 119
Toth, R. *see* Cooke, D.E.L.
Townend, V.C. *see* Inman, A.J.
Tran-Nguyen, L.T.T. *see* Blanche, K.R.
Tsror (Lahkim), L. *see* Levin, A.G.
Tsuchiya, K. *see* Seo, S.T.
Turechek, W.W. *see* Pethybridge, S.J.
Turkensteen, L.J. *see* Flier, W.G.
Tzuri, G. *see* Burger, Y.

Ulke, G. *see* Aysan, Y.
Umaharan, P. *see* Surujdeo-Maharaj, S.

Valencia-Botín, A.J., Sandoval-Islas, J.S., Cárdenas-Soriano, E., Michailides, T.J. & Rendón-Sánchez, G. *Botryosphaeria dothidea* causing stem spots on *Hylocereus undatus* in Mexico, 803
Valkonen, J.P.T. *see* Lindqvist-Kreuze, H.
Vannini, A. *see* Vettraino, A.M.
Varga, K. *see* Bakonyi, J.
Vaughan, T.B. *see* Paveley, N.D.
see also Young, C.S.
Verdejo-Lucas, S., Sorribas, F.J., Ornat, C. & Galeano, M. Evaluating *Pochonia chlamydosporia* in a double-cropping system of lettuce and tomato in plastic houses infested with *Meloidogyne javanica*, 521
van de. Ven, R. *see* Pilkington, L.J.
Verma, N. *see* Ram, R.
Vettraino, A.M. & Vannini, A. Scotch broom: a new host of *Phytophthora megasperma* in Italy, 417
Vettraino, A.M., Belisario, A., Maccaroni, M. & Vannini, A. Evaluation of root damage to English walnut caused by five *Phytophthora* species, 491
Vicent, A. *see* Armengol, J.
Viet, N. *see* Lebot, V.
Vij, S.P. *see* Sherpa, A.R.
Viruel, M.A. *see* Garcia-Chapa, M.
Vlahoyiannis, D. *see* Elena, K.

Wang, H.M., Wang, H.X., Ng, T.B. & Li, J.Y. Purification and characterization of an antibacterial compound produced by *Agrobacterium vitis* strain E26 with activity against *A. tumefaciens*, 134
Wang, H.X. *see* Wang, H.M.
Wayne, S. *see* Holmes, K.A.
Webber, J.F. *see* Lane, C.R.
Widmer, T.L. *see* Siegwart, M.
Wilson, C.R. *see* Crowle, D.R.
Wingfield, B.D. *see* Coetzee, M.P.A.
Wingfield, M.J. *see* Coetzee, M.P.A.
see also Gezahgne, A.; Telechea, N.
Winter, S. *see* Bull, S.E.

Xu, X.-M. *see* Li, B.

Yahiaoui-Zaidi, R., Jouan, B. & Andrivon, D. Biochemical and molecular diversity among *Erwinia* isolates from potato in Algeria, 28
Yates, D. *see* Komolong, B.
Young, C.S., Paveley, N.D., Vaughan, T.B., Thomas, J.M. & Lockley, K.D. Predicting epidemics of yellow rust (*Puccinia striiformis*) on the upper canopy of wheat from disease observations on lower leaves, 338
Young, V. *see* Cooke, D.E.L.
Yuki, V.A. *see* Novaes, Q.S.

Zafar, Y. *see* Hussain, M.
see also Mansoor, S.
Zaidi, A.A. *see* Katoch, M.
see also Raikhy, G.; Ram, R.; Sherpa, A.R.
Zaki, M. *see* Makkouk, K.M.
Zerbini, F.M. *see* Maciel-Zambolim, E.
Zhao, H. *see* Li, B.
Zinkernagel, V. *see* Lebeda, A.

Keyword index

α-glucans, 256
aecia, 104
AFLP, 181, 228, 314
African cassava mosaic virus, 84
Agrobacterium spp., 134
A-group/B-group *Leptosphaeria maculans*, 245
alfalfa, 754
Alternaria brassicicola, 536
Alternaria solani, 22
alternating temperature, 448
anastomosis groups, 228
antibacterial compounds, 134
apple canker, 553
Apple mosaic virus, 655
Apple stem grooving virus, 371
Armillaria gallica, 604
Armillaria mellea, 604
ASA, 22
ascorbate peroxidase, 429
ascospores, 245
Australian grapevine yellows, 267

β-tubulin, 362
bacterial soft rot, 140
banana, 703, 713
basal stem rot, 455
basidiospores, 455
Begomovirus, 379
Bemisia tabaci, 379
benzothiadiazole, 747
bioassay, 13
biochemical characterization, 28
biocontrol, 219
biological control, 521, 579
biological control agents, 60
bishop pine, 720
black dot, 13
black leg, 726
black nightshade, 595
black pod, 486
black leaf streak (black Sigatoka) disease, 703
blackleg disease, 119
blue mould, 362
brassica dark leaf spot, 536
Brassica napus, 429, 726
BTH, 22
bud burst, 737

Calendula maritima, 395
Calendula officinalis, 395
Calendula suffruticosa, 395
Capillovirus, 371
capsid gene, 92
Carica papaya, 389
cassava, 84
cassava mosaic disease, 84
characterization, 476, 486
Chinese gooseberry, 371
chitinase, 747
Chrysanthemum coronarium, 395
Chrysanthemum segetum, 395
cocoa, 486
cocoa black pod, 168
Coffea arabica, 97
Colletotrichum lindemuthianum, 228
Colocasia esculenta isozymes, 303
colonization pattern, 199
colony characteristics, 168
comparative genetics, 628
control, 770
copper resistance, 287
Crinipellis, 476
Crinipellis perniciosa, 236, 464
crop rotation, 521
crown gall, 134
crown rust, 628
cucumber, 256
Cucurbitaceae, 68
cultivar mixture, 586

D- and M-haustoria, 104
DAS-ELISA, 371
detection, 74, 513, 681
dew period, 437
dew temperature, 437
diagnosis, 648
differential interactions, 326
disease, 567
disease detection and diagnosis, 3, 267
disease dynamics, 350
disease progress curves, 338
disease resistance, 464
disease thresholds, 338
diversification strategy, 586
diversity, 41
diversity indices, 533
DNA, 567
dose–response curves, 638
Drechslera campanulata, 437, 448
dsRNA, 389
Dutch elm disease, 579

effective dose, 638
egg hatch, 770
egg masses, 770
electron microscopy, 648
ELISA, 673
English walnut, 491
epidemic analysis, 338
epidemiology, 3, 326, 437, 536, 553, 663
ergot, 60
ERIC-PCR, 236
Erwinia, 28

© 2003 BSPP

Erwinia carotovora, 119, 140
Erysiphe cichoracearum, 22
evolution, 476

faba bean phyllody phytoplasma, 754
field resistance, 193
forecasting, 546
forest host, 486
frosty pod rot, 476
fungicide programmes, 638
Fusarium semitectum, 22
Fusarium solani f. sp. *glycines*, 74
fusarium wilt, 199, 204

galls, 104
Geminivirus, 379
gene-for-gene, 350
genetic map, 628
genetic variability, 236
genomic fingerprinting, 277
geographic distribution, 41
germination, 245, 546
glutathione-S-transferase, 673
glycohydrolases, 134
grafting, 513
grapevine, 267, 663
grapevine yellows, 663
grasses, 505

haploid, 496
His.-tag fusion protein, 673
histopathology, 620
HIV-1 reverse transcriptase, 134
host range, 379, 595, 613
host–pathogen coevolution, 41
host–pathogen interaction, 620
Humulus lupulus, 655
hyperparasitism, 737

identification, 681
IGS, 604
immunocapture RT-PCR, 371
incubation period, 199
indirect DAS-ELISA, 648
induced resistance, 429, 579, 747
infection, 546
inoculation method, 464
inoculum concentration, 620
interspecific associations, 158
intracellular mycoparasitism, 737
introgression, 97
Irvingia, 486
isometric virus, 389
ITS, 567, 604
ITS sequence, 68

Jaccard similarity index, 158
Juglans regia, 491
juvenile resistance, 613

kiwifruit, 371
Koch's postulates, 567
late blight, 193, 326
latent period, 613
leaf layer, 338
leaf spot, 437
lettuce downy mildew, 41
Linum marginale, 350

marker-assisted selection, 97
mating compatibility tests, 604
mating type alleles, 455
mating types, 168
Medicago sativa, 754
Melampsora lini, 350
Meliaceae, 147
Meloidogyne artiellia, 395
menadione sodium bisulphite, 429
methyl bromide, 521
microcyclic rusts, 104
microplants, 13
minitubers, 13
model, 546
model fitting, 536
molecular genetics, 681
molecular markers, 204
Moniliophthora, 476
Morisita's index, 586
mulberry, 140
multiplicative survival model, 638
mutations, 362
Mycosphaerella fijiensis, 703
Mycosphaerella musicola, 713

^{15}N labelling, 52
near-ultraviolet light, 448
Nectria galligena, 553
nematicide, 395
nematode, 97
nematode reproduction, 770
nested-PCR, 513
niche, 726
nitrate uptake, 52
nonhost resistance, 595
nucleotide sequencing, 763

oak decline, 694
Olea europaea, 770
Olea europea, 212
oospores, 181
Ophiostoma novo-ulmi, 579
outcrossing, 455
oxamyl, 521

Pantoea agglomerans, 219
Papaya meleira virus, 389
Passiflora edulis f. *flavicarpa*, 648
passive transport, 199
pathogenesis-related protein 1, 429
pathogenicity, 287, 491
pathogenicity test, 694
pathotypes, 228
PCR, 13, 28, 74, 567, 648, 681
PCR detection, 127
PCR-RFLP, 140
pear scab, 546
Pectobacterium carotovorum ssp. *carotovorum*, 127
pel gene, 140
penetration, 245
pepper, 287

perennial ryegrass, 628
peroxidase, 747
Phaseolus vulgaris, 228
phenylamide resistance, 181
Phoma terrestris, 68
phoma stem canker, 726
photoperiod, 448
phylogenetic analysis, 567
Phytophthora cinnamomi, 694
Phytophthora citricola, 694
Phytophthora colocasiae, 303
Phytophthora infestans, 314, 586
Phytophthora megakarya, 486
Phytophthora quercina, 694
Phytophthora sojae, 681
Phytophthora spp., 168
Phytophthora root rot, 681
phytoplasma identification, 147
phytoplasma, 267, 505
PMeV, 389
Podosphaera leucotricha, 737
polymerase chain reaction, 267
Polymyxa betae, 673
polyols, 256
population dynamics, 455
population genetics, 41, 181, 533, 713
population structure, 703
postharvest diseases, 362
potato, 13, 496
potato breeding, 193
potato late blight, 181, 314, 586, 595
potato tuber contamination, 119
potato tuber disease, 3
Potyviridae, 92
Potyvirus, 92
powdery mildew, 256, 613
pruning influence, 212
Prunus necrotic ringspot virus, 655
Pseudomonas corrugata, 287
Pseudomonas spp., 219
Pseudomonas syringae, 277
Pseudomonas viridiflava, 287
Puccinia striiformis, 338
Pyrus communis, 513

Quercus, 694

race-specific resistance, 41
RAPD, 140, 303, 314
redox state, 429
repetitive PCR, 277
rep-PCR fingerprint, 236
resistance, 97, 199, 204
resistance gene, 628
resistance gene management, 586
resistance screening, 464
RFLP, 28, 604, 703, 713
R-genes, 193
rhizomania, 673
Rhizopycnis vagum, 68
root lesion, 52
root-knot nematodes, 521, 770

16SrV group, 663
SADIE, 158
salt-water irrigation, 212
Scolytus multistriatus, 579
seasonal behaviour, 212
seed borne, 437
seed certification, 119
seedborne, 448
seedborne diseases, 219
seedling blight, 219
Septoria tritici, 638
sexual reproduction, 181, 455
Sigatoka (yellow Sigatoka) disease, 713
silver scurf, 13
simple sequence repeat, 628
single-zoospore isolates, 314
snow mould, 219
soft rot, 28
soft-rotting bacteria specific primer, 127
soil inoculum, 13
soilborne disease, 3
soilborne pathogens, 491
Solanum tuberosum, 496
soluble sugars, 256
somatic hybrid, 496
sorghum, 60
soybean, 74
spatial structure, 350
species coexistence, 726
sporangial pedicel morphometrics, 168
spore dispersal, 536
sudden death syndrome, 74
sugarbeet, 673
sugarcane, 505
sugary disease, 60
survival, 737
symptom severity, 84
symptomatology, 763
syrB, 277
systemic resistance, 22
systemic-induced resistance, 720

take-all, 52
taro leaf blight, 303
tebuconazole, 638
telia, 104
temperature, 245
Theobroma cacao, 236, 464
Theobroma, 476
thiabendazole, 362
threshold level, 119
tissue-print hybridization, 763
tomato anthracnose, 3
Tomato leaf curl virus, 379
tomato pith necrosis, 287
Tomato yellow leaf curl virus, 763
tomato, 199, 747
transmission, 513
Tranzschel's law, 104
tritrophic interactions, 737
tuber blight, 326
tuber disease, 22

Ulmus minor, 579
universal rice primers, 127
variability, 28

Verticillium wilt, 212
vine decline, 68
viral epidemiology, 158
virulence, 277, 314
virus concentration, 84
virus purification, 389
virus titre, 763

walnut decline, 491
wheat, 52, 338
white leaf, 505
Wisteria vein mosaic virus, 92
witches' broom, 236
witches' broom disease, 464
woody nightshade, 595
wounding, 448

yellows disease, 754
yield loss, 84